

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
STRAIT OF GEORGIA							
265.2 G5359	Croker Point	On the point. 48 46 29 123 12 04.5	Fl R 4s	4.6	4	Mast, red and white triangular daymark.	Year round. Radar reflector. Chart:3477
265.5	Crispin Rock light buoy UJ	Lyall Harbour. Saturna Island 48 48 04 123 11 47	Fl (2+1) R	6s		Red, green and red, marked "UJ".	Year round. Chart:3477
265.8 G5359.5	Fane Island	48 48 25.8 123 16 00.3	Fl G 4s	7.9	3	White cylindrical tower, green band at top.	Radar reflector. Year round. Chart:3477 Edn 10/15 (P15-073)
266 G5373	Conconi Reef	On reef. 48 49 26.6 123 17 31.9	Q W 1s	6.0	5	White cylindrical tower, red band at top.	Radar reflector. Year round. Chart:3442
266.5 G5368.5	Port Washington	On Boat Islet. 48 48 41.4 123 19 24.7	Fl(2) R 6s	7.0	3	White cylindrical tower, red band at top.	Radar reflector. Year round. Chart:3442
267 G5368	Portlock Point	On the point. 48 49 40.4 123 21 06.8	Q W 1s	15.5	7	White tower with red top.	Year round. Chart:3442
268 G5369	Peile Point	On the point. 48 50 59.7 123 24 18.8	Fl W 4s	7.6	7	White cylindrical tower.	Radar reflector. Year round. Chart:3478
269 G5366	Phillimore Point	On extremity of point. 48 52 18.6 123 23 31.7	Q R 1s	7.3	3	White cylindrical tower, red band at top.	Radar reflector. Year round. Chart:3473
270	Ben Mohr Rock light buoy UK	NE. of Peile Point light. 48 51 37.3 123 23 27.8	Fl (2+1) R	6s		Red, green and red, marked "UK".	Year round. Chart:3478
271 G5367	Enterprise Reef sector	On western rock of reef. 48 50 41.7 123 20 53.9	F W R W Q R	 1s	3.3 5.9	4 4	White cylindrical tower, red band at top on 4-pile dolphin. White from 107°30' to 110°; red from 110° to 121°; white from 121° to 123°30'. Radar reflector. Year round. Chart:3473
Active Pass							
272 G5364	Helen Point	On point. 48 51 27.6 123 20 42.1	Q W 1s	7.0	6	White cylindrical tower, red band at top.	Radar reflector. Year round. Chart:3473
273 G5365	Galiano	On drying rock. 48 51 42.9 123 20 55.7	Q G 1s	6.4	4	White square skeleton tower, green band at top.	Year round. Chart:3473

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
STRAIT OF GEORGIA										
274 G5362	Mary Anne Point	On the point. 48 51 43.4 123 18 48.7	Q	W	1s	7.6	6	White cylindrical tower, green band at top.	Radar reflector. Year round.	Chart:3473
275 G5360	Active Pass Radiobeacon	On Georgina Point, Mayne Island. 48 52 23.9 123 17 29.2	Fl	W	10s	17.4	17	White cylindrical tower.	Flash 0.2 s; eclipse 9.8 s. Year round.	Chart:3473
276	Gossip Shoals light and bell buoy U47	SE. end of Gossip Island, N. entrance to Active Pass. 48 53 05.6 123 18 17.9	Fl	G	4s			Green, marked "U47".	Year round.	Chart:3473
Stuart Channel										
276.1 G5376.6	Octopus Point	48 47 56.7 123 33 45.8	Fl	G	4s	6.0	4	White mast.	Year round.	Chart:3478
276.12	Maple Bay Speed Control light buoy	48 48 23.4 123 35 49.7	Fl	Y	4s			White and orange.	Privately maintained. Year round.	Chart:3478
276.3 G5376.5	Grave Point	On the point. 48 50 53.6 123 35 33.3	Fl	G	4s	5.3	4	Mast.	Year round.	Chart:3478
277 G5374	Crofton	On SE. Shoal Island. 48 52 46.3 123 37 47.8	Fl	W	4s	5.8	6	White cylindrical tower.	Radar reflector. Year round.	Chart:3475
280 G5384	Bare Point	On extremity of point. 48 55 46.3 123 42 21.9	Fl	G	4s	9.3	5	White cylindrical tower, green band at top.	Radar reflector. Year round.	Chart:3475
281	Hospital Rock light buoy U30	E. of the rock. 48 55 45.8 123 42 46.9	Fl	R	4s		3	Red, marked "U30".	Year round.	Chart:3475
282 G5385	Chemainus Bay range	On N. end of Weyerhaeuser wharf. 48 55 28 123 42 49.1	F	G		8.1	13	Square skeleton tower, red daymark, white vertical stripe.	Year round.	Chart:3475
283 G5385.1		198°50' 225.9m from front.	F	G		13.6	13	Tripod skeleton tower, red daymark, white vertical stripe.	Year round.	
284 G5378	North Reef	On reef. 48 54 50.4 123 37 36.8	Fl(3)	W	12s	6.7	7	White cylindrical tower.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector. Year round.	Chart:3442

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
STRAIT OF GEORGIA							
Houstoun Passage							
285 G5378.6	Grappler Rock	On rock. 48 56 20.5 123 36 09.9	Fl R	4s	6.1	4	White cylindrical tower, red band at top. Radar reflector. Year round.
							Chart:3442
286 G5379	Southey Point	On N. extremity of Saltspring Island. 48 56 44.8 123 35 47.1	Q W	1s	6.1	6	White cylindrical tower. Radar reflector. Year round.
							Chart:3442
286.5 G5379.4	Norway Island	NW. end of island. 48 58 54 123 37 34	Fl Y	4s	3.0		Mast. Privately maintained from April 30 to October 1 st . Year round.
							Chart:3477
Porlier Pass							
287	Porlier Pass light and bell buoy U41	S. of Canoe Islets. E. Entrance to Porlier Pass 49 01 32.4 123 34 57.4	Fl G	4s		4	Green, marked "U41". Year round.
							Chart:3473
288 G5394	Porlier Pass range	On Race Point, Galiano Island. 49 00 46.5 123 35 09.2	F Y		6.8	10	White cylindrical tower. Year round.
289 G5394.1		196°07' 445.2m from front.	F Y		10.3	10	White square tower. Year round.
							Chart:3473
289.3 G5394.4	Virago Rock Sector	On rock. 49 00 45.5 123 35 34	Q W R	1s	6.8	4	White cylindrical tower, green band at top. Red 024° through E. and S. to 229°; white 229° through W. and N. to 024°. Radar reflector. Year round.
							Chart:3473
Trincomali Channel							
290	Governor Rock light buoy U45	E. of rock. 48 54 46.4 123 29 50.8	Fl G	4s			Green, marked "U45". Year round.
							Chart:3442
291 G5380	Walker Rock	48 55 25 123 29 39.8	Fl(3) W	12s	7.3	7	White cylindrical tower. Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.
							Green from 082° to 088°; white from 088° to 092°; red from 092° to 099°. Radar reflector. Year round.
							Chart:3442
291.1 G5381	Saltspring Island East Sector	48 55 23.1 123 33 12.1	F R W G		4.7	8	White cylindrical tower. Red 264°20' to 268° White 268° through W. to 272°; Green 272° to 276°30'.
							Chart:3442 Edn 08/15 (P15-061)

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
STRAIT OF GEORGIA							
291.3	Victoria Shoal light buoy U43	SE. of Panther Point, Trincomali Channel 48 55 11.4 123 31 00.8	Fl G 4s		4	Green, marked "U43".	Year round.
							Chart:3442
292 G5388	Danger Reefs	On N. end of easternmost rock. 49 03 15 123 42 54.7	Q W 1s	6.7	5	White cylindrical tower.	When passing southward, ships should be given a berth of at least one half mile. Radar reflector. Year round.
							Chart:3443
293	Panther Point light buoy U44	W. of point. East entrance to Houston Passage. 48 55 47.4 123 32 30.8	Fl R 4s		4	Red, marked "U44".	Year round.
							Chart:3442
293.5 G5379.2	Jackscrew Island	48 57 02.3 123 35 10.8	Fl W 4s	5.8	6	White cylindrical tower, red band at top.	Radar reflector. Year round.
							Chart:3442
294 G5383	Alarm Rock	On SE. end of rock. 48 57 32.2 123 40 27	Fl(2) W 6s	5.2	5	White cylindrical tower.	Radar reflector. Year round.
							Chart:3477
294.5 G5382.2	Hudson Island North	48 57 58.1 123 40 24	Fl R 4s	4.9	4	White cylindrical tower, red band at top.	Radar reflector. Year round.
							Chart:3477
295 G5382	Preedy Harbour	Off W. end of Hudson Island. 48 58 06 123 40 58	Q R 1s	5.1	4	White cylindrical tower, red band at top.	Radar reflector. Year round.
							Chart:3477
296.7	Ladysmith Harbour Floating Breakwater	At end of floating breakwater. 48 59 57.5 123 48 45.6	Fl G 4s		3	Mast, green, white and black square daymark.	Year round.
							Chart:3475
297 G5386	Coffin Island	On islet, on N. side of entrance to Ladysmith Harbour. 48 59 08.3 123 45 13.3	Fl W 4s	5.8	6	White cylindrical tower, green band at top.	Radar reflector. Year round.
							Chart:3475
298 G5390	Joan Point	On point, Dodd Narrows. 49 08 08.3 123 49 06.9	Q W 1s	8.8	5	White cylindrical tower, green band at top.	Radar reflector. Year round.
							Chart:3475
298.8 G5149	Blaine Small Boat Harbour Light 2 (U.S.)	48 59 28 122 45 49	Fl R 2.5s	6.7	4	Red, red triangular daymark on dolphin.	Flash every 2.5 s. Year round.
							Chart:3462
299 G5148	Semiahmoo Bay (U.S.)	In the bay. 48 59 32.3 122 47 02.4	Fl R 6s	4.6	4	Pile, red triangular daymark.	Year round.
							Chart:3463

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics		Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
STRAIT OF GEORGIA								
299.5 G5150	Crescent Beach	Entrance to Nicomekl River. 49 00 43.9 122 56 25.2	Fl	R	4s	6.7	5	Mast on 1-pile dolphin, red and white triangular daymark. Chart:3463
299.6 G5150.5	Crescent Channel	49 03 14.2 122 53 49.5	Q	R	1s	4.3	3	Red and white triangular daymark on 3-pile dolphin. Chart:3463
299.7 G5149.5	Whiterock Breakwater	49 01 03.1 122 48 28.1	Fl	W	4s	4.6	5	On 3-pile dolphin. Year round. Chart:3463 Edn 10/11(P11-034)
300	Point Roberts light and bell buoy 4 (U.S.)	SE. of Point Roberts. 48 57 05.7 122 59 13.5	Fl	R	4s			Red, marked "4". Year round. Chart:3463
301 G5152	Point Roberts (U.S.)	S. extremity of point. 48 58 18 123 05 01.3	Fl(2)	W	15s	9.1	15	Skeleton tower, red and white diamond daymark. Year round. Chart:3492
302	International Boundary light A (U.S.)	Between Tsawwassen Ferry Terminal and Boundary Bluff. 49 00 07.5 123 06 44.2	Fl	Y	4s	7.6	3	Concrete structure, yellow diamond daymark. Year round. Chart:3492 Edn 01/14 (P13-042)
302.5	International Boundary light B (U.S.)	W. of Boundary Bluff. 49 00 07.6 123 05 34.6	Fl	Y	4s	4.6	3	On 1-pile dolphin, yellow diamond daymark. Year round. Chart:3492 Edn 01/14(P13-043)
303	International Boundary light C (U.S.)	On shore, W. side of Boundary Bay. 49 00 07 123 02 06.7	Fl	Y	4s	7.6	3	Concrete structure. Year round. Chart:3463
304	International Boundary light D (U.S.)	W. side of Boundary Bay. 49 00 07.5 123 01 13	Fl	Y	4s	11.0	3	Concrete structure, yellow diamond daymark. Year round. Chart:3463 Edn 01/14(P13-044)
304.3	International Boundary light E (U.S.)	Boundary Bay. 49 00 07.7 122 58 21.4	Fl	Y	4s	4.6	3	On 1-pile dolphin, yellow diamond daymark. Year round. Chart:3463 Edn 01/14(P13-045)

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
STRAIT OF GEORGIA							
304.5	International Boundary light F (U.S.)	Boundary Bay. 49 00 07.7 122 55 29.4	Fl Y 4s	4.6	3	On 1-pile dolphin, yellow diamond daymark.	Year round. Chart:3463 Edn 01/14(P13-046)
305 G5160.9	International Boundary light G (U.S.)	Semiahmoo Bay. 49 00 07.8 122 52 38.1	Fl Y 4s	4.6	3	On 1-pile dolphin, yellow diamond daymark.	Year round. Chart:3463 Edn 01/14(P13-047)
305.5	International Boundary light H (U.S.)	Semiahmoo Bay. 49 00 07.7 122 49 46.5	Fl Y 4s	4.6	3	On 1-pile dolphin, yellow diamond daymark.	Year round. Chart:3463 Edn 01/14(P13-048)
306	International Boundary light I (U.S.)	On shore, E. side of Semiahmoo Bay. 49 00 07.6 122 46 54.8	Fl Y 4s	12.8	3	Concrete structure, yellow diamond daymark.	Year round. Chart:3463 Edn 01/14(P13-049)
307.1 G5396	Tsawwassen Ferry Breakwater	W. end of S. breakwater. 49 00 07.8 123 07 43	Q R 1s	7.8	4	White cylindrical tower, red band at top.	Chart:3492 Edn 06/15(P15-042)
307.13 G5398.6	Tsawwassen	49 00 27.1 123 08 36.3	Fl Y 4s	9.0			Privately maintained. Chart:3492 Edn 06/15(P15-043)
307.15 G5397	Tsawwassen Ferry South	Off S. breakwater. 49 00 14.1 123 08 01.3	VQ Y 0.5s			On dolphin.	Privately maintained. Radar reflector. Year round. Horn - Blast 1 s; sil. 19 s. Operated by Ferry personnel when required for ferry movements only. Chart:3492
307.2	Roberts Bank light buoy T2	49 00 29.6 123 09 12.9	Q R 1s			Red, marked "T2".	Year round. Chart:3492
307.3	Roberts Bank light buoy T4	49 00 41.4 123 08 55.1	Fl R 4s			Red, marked "T4".	Year round. Chart:3492
307.4	Roberts Bank light buoy T6	49 00 52.8 123 08 38.2	Fl R 4s			Red, marked "T6".	Year round. Chart:3492
307.5	Roberts Bank light buoy T8	49 01 12.7 123 08 35	Fl R 4s			Red, marked "T8".	Year round. Chart:3492

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
STRAIT OF GEORGIA								
307.7	Roberts Bank Cautionary light buoy TB	49 01 27.5 123 08 37.5	Fl Y 4s			Yellow, marked "TB".	Year round.	
							Chart:3492	
307.9	Roberts Bank light buoy T1	49 00 33.7 123 09 40	Q G 1s			Green, marked "T1".	Year round.	
							Chart:3492	
307.91 G5399	Roberts Bank Entrance range	49 01 35.6 123 08 30	Q Y 1s	12.4	14	Square skeleton tower, red daymark, white vertical stripe.	Year round.	
307.92 G5399.1		032° 250m from front.	Q Y 1s	19.1	14	Square skeleton tower, red daymark, white vertical stripe.	Year round.	
							Chart:3492	
308	Canoe Pass light buoy T14 Racon - . - (K) X & S Bands	Entrance to Pass. 49 02 17.4 123 15 22.7	Fl R 4s			Red, marked "T14".	Year round.	
							Chart:3492	
309 G5400	Roberts Bank Racon - . (N) X & S Bands	Edge of bank. 49 05 15.7 123 18 37.0	Fl W 4s	8.9	9	White cylindrical tower, red band at top	Year round.	
							Chart:3490 Edn 03/14(P14-010)	
309.5	Roberts Bank Cautionary light buoy TA Racon --- (O) X & S Bands	SW. of Sand Heads, Traffic Separation Zone. 49 04 25.4 123 22 50.7	Fl Y 4s			Yellow, marked "TA".	Year round.	
							Chart:3463	
425 G5423.5	Brunswick Point	On point, E. side of Montagu Channel. 49 31 33.7 123 15 40.4	Fl R 4s	10.1	4	White cylindrical tower, red band at top.	Radar reflector. Year round.	
							Chart:3526	
425.5 G5423.7	Squamish Approach	Entrance to channel. 49 40 47.4 123 09 55.6	Fl R 4s	6.0	3	On 3-pile dolphin, red and white triangular daymark.	Year round.	
							Chart:3534	
426 G5423.8	Squamish range	On E. bank of Squamish River. 49 41 29.9 123 09 11.6	F Y		8.8	15	Mast, red daymark, white vertical stripe.	In operation 24 hours. Year round.
427 G5423.81		034° 29.4m from front.	F Y		11.7	15	Mast, red daymark, white vertical stripe.	In operation 24 hours. Year round.
							Chart:3534	

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
427.1 G5423.75	Squamish Terminal range	49 41 12.1 123 10 22.6	F	Y		4.9	15	Square skeleton tower, white daymark, red vertical stripe.	In operation 24 hours. Year round.
427.2 G5423.76		019°30' 122.2m from front.	F	Y		9.8	15	3-pile dolphin, white daymark, red vertical stripe.	In operation 24 hours. Year round.
Chart:3534									
427.4	Squamish Terminal No. 1	49 40 59.9 123 10 34	Fl	G	4s	4.2	4	Mast on a single pile dolphin	Year round.
Chart:3534 Edn 03/12(P12-006)									
427.5	Squamish Terminal No. 2	49 40 55.9 123 10 22.3	Fl	W	4s	4.3	5	Mast on a single pile dolphin.	Year round.
Chart:3534 Edn 03/12(P12-005)									
STRAIT OF GEORGIA									
428 G5423.6	Ekins Point	On point. 49 32 06.5 123 22 49.4	Fl(3)	W	12s	6.4	5	White cylindrical tower.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector. Year round.
Chart:3526									
429 G5423.3	Grace Islands	On SW. extremity. 49 25 49.9 123 26 52.9	Fl	W	4s	6.1	5	White cylindrical tower.	Year round.
Chart:3526									
430 G5420.4	Gibsons Landing Rock	On rock. 49 23 56 123 29 54.8	Fl	G	4s	7.0	4	White cylindrical tower, green band at top.	Radar reflector. Year round.
Chart:3534									
431 G5420.5	Gibsons Landing	Atop of the gazebo on the outer end of the breakwater. 49 23 59.1 123 30 14.9	Fl	R	4s	4.9	6	On building.	Year round.
Chart:3534									
431.5 G5420.6	Gibsons Landing Breakwater South	49 23 57.7 123 30 17.8	Fl	G	4s	6.0	3	White mast, green, white and black square daymark.	Year round.
Chart:3534 Edn 04/11 Edn 10/11(P11-036) Edn 07/14 (P14-037)									
432 G5420	Popham Island	On NW. extremity of island. 49 21 46.1 123 29 30.6	Fl	R	4s	11.2	4	White cylindrical tower, red band at top.	Radar reflector. Year round.
Chart:3526									
433 G5485	Thrasher Rock Racon --- (M) X & S Bands	NE. extremity of Gabriola Reefs. 49 09 00 123 38 30	Fl(3)	W	12s	11.0	7	White cylindrical tower, green band at top.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector. Year round.
Chart:3475									

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals			
433.1	Gabriola Reefs light buoy UM	SSW. of Thrasher Rock. 49 07 39.9 123 39 20.9	Fl (2+1)	G	6s			Green, red and green, marked "UM".	Year round.	Chart:3475
433.2 G5486.4	Breakwater Island	On W. side of island. 49 07 50.1 123 41 00.9	Fl	R	4s	6.1	4	Mast.	Year round.	Chart:3475
433.3 G5486.5	Rogers Reef	E. entrance, Gabriola Pass. 49 07 52 123 41 26.6	Q	W	1s	5.5	5	White cylindrical tower.	Radar reflector. Year round.	Chart:3475
STRAIT OF GEORGIA										
433.5 G5486.44	Gabriola Passage East	Off NE. side, Valdes Island. 49 07 29.4 123 41 17.3	Fl	G	4s	5.2	4	White cylindrical tower, green band at top.	Radar reflector. Year round.	Chart:3475
433.8 G5486.8	Dibuxante Point	W. entrance to Gabriola Pass. 49 07 36.9 123 43 00.8	Q	R	1s	6.4	4	White cylindrical tower, red band at top.	Radar reflector. Year round.	Chart:3475
434 G5486	Tugboat Island	On drying rock SE. of island. 49 08 52.8 123 41 06.9	Fl	W	4s	6.1	5	White cylindrical tower.	Radar reflector. Year round.	Chart:3475
434.3 G5486.2	Silva Bay	NW. of Tugboat Island. 49 09 12.6 123 41 30.2	Fl	G	4s	4.6	4	Mast, green, white and black square daymark.	Year round.	Chart:3475 Edn 04/11
445.5	Departure Bay West Cardinal light buoy PW	NW. of Shaft Point. 49 11 48.4 123 56 55.8	Q(9)	W	15s			Yellow, black and yellow, marked "PW".	Year round.	Chart:3447
446 G5496	Jesse Island	On eastern extremity of island. 49 12 28.4 123 56 35.2	Q	R	1s	7.3	4	White cylindrical tower, red band at top.	Radar reflector. Year round.	Chart:3447
446.5	Horswell Rock East Cardinal light buoy PL	W. of Horswell Bluff, Rainbow Channel. 49 12 43.3 123 55 57.3	Q(3)	W	10s			Black, yellow and black, marked "PL".	Year round.	Chart:3447

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
447 G5498	Hudson Rocks	On summit of SW. islet. 49 13 25.5 123 55 40.6	Fl W 4s	9.2	7	White cylindrical tower, red band at top.	Radar reflector. Year round.
Chart:3447							
447.2 G5499	Clarke Rock	On E. side of rock. 49 13 31.4 123 56 29.1	Fl G 4s	4.9	4	White cylindrical tower, green band at top.	Radar reflector. Year round.
Chart:3447							
447.5	Halibut Bank ODAS light buoy 46146	Halibut Bank. 49 20 23.4 123 43 40.7	Fl(5) Y 20s			Yellow, marked "46146".	Year round.
Chart:3463							
STRAIT OF GEORGIA							
448 G5502	White Islets	E. of Sechart. 49 25 06 123 42 38	Fl W 4s	10.7	6	White cylindrical tower.	
Chart:3311							
448.5 G5502.4	Selma Park Breakwater	On outer end of breakwater. 49 27 57.7 123 44 39.5	Fl R 4s	8.2	4	White cylindrical tower, red band at top.	
Chart:3311 Edn 06/15(P15-002)							
448.8 G5511	Reception Point	Welcome Passage. 49 28 15.8 123 53 11.5	Fl(3) W 12s	7.0	7	White cylindrical tower, red band at top.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s.
Chart:3535							
449 G5510	Merry Island	SE. extremity of island, SE. entrance to Welcome Passage. 49 28 03.5 123 54 39	Fl W 15s	17.6	17	White square tower.	Flash 0.4 s; eclipse 14.6 s. Year round
Chart:3535							
450 G5512	Wilbraham Point	On SW. side of Grant Island, off point. 49 30 41.6 123 58 08.2	Fl R 4s	11.1	5	White cylindrical tower, red band at top.	Radar reflector Year round
Chart:3535							
450.5 G5513.5	Secret Cove Entrance	49 31 41.9 123 57 56.3	Q R 1s	5.5	3	Mast, red and white triangular daymark.	Year round.
Chart:3535							
451	Tattenham Ledge light buoy Q51	N. entrance to Welcome Passage, N. of South Thormanby Island 49 31 08 123 59 01.5	Fl G 4s			Green, marked "Q51".	Year round.
Chart:3535							

Malaspina Strait

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
452 G5513	Epsom Point	On extremity of point. 49 30 13.5 124 01 08.6	Fl W 4s	6.5	7	Mast on a 3-pile dolphin.	Year round. Chart:3311
453 G5514	Francis Point	On point. 49 36 13 124 03 27	Fl(3) W 12s	10.4	6	White cylindrical tower.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector. Year round. Chart:3535
STRAIT OF GEORGIA							
454 G5516	Pender Harbour	On reef, westward of N. extreme of Williams Island. 49 37 47.5 124 03 34	Q R 1s	4.6	3	White cylindrical tower, red band at top.	Radar reflector. Year round. Chart:3535
455 G5519	Cape Cockburn	On cape, W. side of Nelson Island. 49 40 15.4 124 12 05.3	Fl(3) W 12s	15.2	7	White cylindrical tower, red band at top.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector. Year round. Chart:3311
456 G5517	Nelson Rock	On rock. 49 38 39 124 07 04	Fl W 4s	6.6	6	White cylindrical tower.	Radar reflector. Year round. Chart:3311 Ed. 02/15 (P14-057)
456.6 G5522	Saltery Bay	49 46 50.8 124 10 34.6	F G			On outer dolphin, ferry terminal.	Private. Horn – Blast 3 s; sil. 17 s. Operated by Ferry personnel when required for ferry movements only. Chart:3514 Edn 06/15(P15-034)
457 G5522.5	Ahlstrom Point	On N. shore of Jervis Inlet. 49 46 47.4 124 08 37.7	Fl G 4s	6.4	5	White cylindrical tower, green band at top.	 Chart:3514 Edn 06/15(P15-035)
458 G5523	Captain Island	On the NW shore of island. 49 47 21 123 59 43.8	Fl W 4s	8.2	5	White cylindrical tower.	 Chart:3514 Edn 06/15(P15-036)
459 G5523.8	Malibu Rapids	Entrance to rapids. 50 09 43.4 123 51 14.8	Q G 1s	5.5	4	White cylindrical tower, green band at top.	Radar reflector. Year round. Chart:3514
460 G5523.5	Agnew Passage	On NE. shore of small islet. 49 46 27.5 123 59 21.6	Q G 1s	7.6	4	White cylindrical tower, green band at top.	 Chart:3514 Edn 06/15(P15-037)

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
460.3 G5523.6	Earls Cove	49 45 11 124 00 31.8	F G			On gantry, ferry terminal.	Radar reflector. Year round. Horn – Blast 2 s; sil. 28 s. Operated by Ferry personnel when required for ferry movements only. Chart:3514
461 G5524	Skookumchuck Narrows	On drying rock. 49 45 35.3 123 56 02.6	Fl G	4s	6.1	4	White cylindrical tower, green band at top. Chart:3514 Edn 06/15(P15-038)

STRAIT OF GEORGIA

462 G5524.3	Sechelt Islets	On S. end of centre island. 49 44 23.2 123 53 54.9	Q G	1s	7.0	3	White cylindrical tower, green band at top.	Radar reflector. Year round. Chart:3514
463 G5524.6	Skookum Island	NW. end of island. 49 43 31 123 52 46.8	Fl W	4s	7.0	6	White cylindrical tower.	Year round. Chart:3514
464 G5525	Kunechin Islets	S. tip of largest island. 49 37 12.3 123 48 15.6	Fl(2) W	6s	6.1	5	White mast.	Flash 0.5 s; eclipse 1 s; flash 0.5 s; eclipse 4 s. Year round. Chart:3512
465 G5526	Updwoo Point	On southeastern extreme of Texada Island. 49 29 19.4 124 08 28.9	Fl(3) W	12s	11.0	7	White cylindrical tower, red band at top.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector. Year round. Chart:3512
465.5 G5526.4	Texada Island	At Partington Point. 49 31 42.1 124 13 35.9	Fl R	4s	9.5	5	White cylindrical tower, red band at top.	Radar reflector. Year round. Chart:3512 Edn. 02/15 (P14-062)
466 G5527	Fegan Islets	W. entrance to Sabine Channel. 49 31 56.2 124 23 00.6	Fl W	4s	7.9	5	White cylindrical tower.	Radar reflector Year round Chart:3512
467 G5521	Northeast Point	On E. end of point, Texada Island. 49 42 31.4 124 21 27	Fl W	4s	9.4	8	White cylindrical tower, green band at top.	Year round Chart:3311 Edn 10/15 (P15-071)
468.5 G5551	Grief Point East	End of S. breakwater, Garden Beach. 49 48 00.5 124 31 09.5	Fl R	4s	4.3	4	White mast.	Year round Chart:3311 Edn 10/15 (P15-078)
469 G5550	Grief Point	On W. extremity of point. 49 48 15.6 124 31 34.2	Fl(2) W	6s	10.7	8	White cylindrical tower, red band at top.	Flash 0.5 s; eclipse 1 s; flash 0.5 s; eclipse 4 s. Radar reflector Year round Chart:3311 Edn 10/15 (P15-079)

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
470 G5552	Cyril Rock	On the rock, off Grisle Point. 49 48 20.9 124 36 25.4	Q G	1s	7.3	4	White cylindrical tower, green band at top. Year round. Chart:3311 Edn 10/15 (P15-080)
471 G5554	Rebecca Rock	On summit of rock. 49 48 49.4 124 39 35	Iso W	2s	9.1	10	White cylindrical tower. Radar reflector. Year round. Chart:3311 Edn 01/11(P10-134,136)
472	Westview Harbour South	On breakwater. 49 49 55.5 124 31 42	Fl G	4s	3.3	4	Mast. Privately maintained. Year round. Chart:3536 Edn 10/13(P13-019) Edn 07/14 (P14-050)
STRAIT OF GEORGIA							
476 G5551.4	Westview Harbour North	On breakwater. 49 50 21.9 124 31 50.8	Fl W	4s	6.1	5	Mast. Privately maintained. Year round. Chart:3536 Edn 10/13 (P13-020)
477	Grant Reefs light buoy QM	S. extremity of reefs. 49 52 04.4 124 46 03.2	Fl (2+1)	G 6s			Green, red and green, marked "QM". Year round. Chart:3513
477.5	Atrevida Reef light buoy Q26	NW. of Scuttle Bay, Shearwater Passage. 49 54 59.4 124 40 05.2	Fl R	4s			Red, marked "Q26". Year round. Chart:3513
478	Mystery Reef light and bell buoy Q25	SE. of Savary Island, Shearwater Passage. 49 54 45.4 124 42 48.2	Fl G	4s			Green, marked "Q25". Year round. Chart:3513
478.2 G5567.4	Lund Breakwater South	49 58 47.8 124 45 50.8	Fl Y	4s	2.1	2	Mast. Chart:3538 Edn 07/15 (P15-056)
478.3 G5567.5	Lund Breakwater Centre	49 58 49.4 124 45 51.8	Fl Y	4s	2.1	2	Mast. Chart: 3538 Edn 07/15 (P15-057)
478.4	Lund Breakwater North	49 58 52.3 124 45 52.0	Q R	1s	2.0	3	Mast, red and white triangular daymark. Chart: 3538 Edn 07/15 (P15-058)
478.5 G5567	Savary Island Wharf	On wharf, N. side of island. 49 56 45.5 124 46 46.6	Fl W	4s	6.4	5	On building. Chart:3538 Edn 06/15(P15-012)

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
479 G5568	Lund	On E. end of S. Copeland Island. 49 59 44.8 124 47 41.2	Fl W 4s	6.4	6	White cylindrical tower.	Chart:3538 Edn 06/15(P15-013)
479.2 G5568.4	Major Islet	S. end of islet. 49 59 19.2 124 48 59.0	Fl(3) W 12s	31.1	6	White cylindrical tower, red band at top.	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Chart:3538 Edn 06/15(P15-014)
479.5 G5568.6	Thulin Passage	N. end of passage. 50 01 49.1 124 49 38.4	Fl G 4s	8.5	4	White cylindrical tower, green band at top.	Radar reflector. Year round. Chart:3538

STRAIT OF GEORGIA

479.7	Okeover Inlet	On Western breakwater. 49 59 31.2 124 42 39.9	Fl R 4s		3	Mast, red and white triangular daymark.	Year round. Chart:3559 Edn 03/11(P10-060)
479.8 G5573	Refuge Cove	SW. tip of West Redonda Island. 50 06 56.9 124 50 58.8	Fl R 4s	6.4	4	White cylindrical tower, red band at top.	Year round. Chart:3538
480 G5573.8	Junction Point	E. side of Cortes Island. 50 08 22.9 124 53 41	Fl G 4s	8.8	5	White cylindrical tower, green band at top.	Year round. Radar reflector Chart:3538 Edn. 02/15 (P14-072)
481 G5571	Cortes Bay	50 03 46.5 124 55 30.1	Q R 1s	6.1	3	White cylindrical tower, red band at top.	Chart:3538 Edn 06/15(P15-015)
481.5 G5569	Spilsbury Point	On N. tip of Hernando Island. 50 00 11.9 124 56 39.1	Q W 1s	6.1	6	White cylindrical tower.	Chart: 3538 Edn. 02/15 (P14-073) Edn 06/15(P15-016)
482	<i>Sutil Point light and bell buoy Q20</i>	<i>SW. of point. 50 00 08.4 125 00 34.2</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "Q20".</i>	Year round Chart:3538
483 G5570	Uganda Passage	On Channel Rock between Shark Spit and Cortes Island. 50 05 37.3 125 02 16.2	Q R 1s	5.9	3	White cylindrical tower, red band at top.	Year round. Radar Reflector Chart:3538 Edn. 02/15 (P14-074)
483.3 G5572	Whaletown Bay Entrance	Cortes Island. 50 06 24.3 125 03 31.2	Fl G 4s	5.2	4	White cylindrical tower, green band at top.	Radar reflector. Year round. Chart:3538
484 G5574.6	Whiterock Passage	SW. end of passage. 50 14 34 125 06 42.8	Q W 1s	5.1	4	White cylindrical tower.	Year round. Chart:3537

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
484.1 G5574.64	Whiterock Passage range 1	W. side of Read Island. 50 14 45.7 125 06 13.5	F	Y		2.7	10	Mast, white daymark, red vertical stripe.	Year round.
484.2 G5574.65		065°23' 25.9m from front.	F	Y		5.2	10	Mast, white daymark, red vertical stripe.	Year round.

Chart:3537
Edn 09/11(P11-023,026)

STRAIT OF GEORGIA

484.3 G5574.7	Whiterock Passage range 2	W. side of Read Island. 50 14 37.9 125 06 27.3	F Y		3.0	10	Mast, white daymark, red vertical stripe.	Year round.
484.4 G5574.71		211°33' 25m from front.	F Y		5.8	10	Mast, white daymark, red vertical stripe.	Year round.
485 G5579	Drew Harbour	Near extremity of Rebecca Spit, at entrance to harbour. 50 06 27.9 125 11 43.9	Fl G	4s	5.5	5	White cylindrical tower, green band at top.	Radar reflector. Year round.
486 G5504	Maude Island (Nanoose Harbour)	Near E. end of island, N. side of entrance to harbour. 49 16 12.6 124 04 40.8	Fl W	4s	9.8	6	White cylindrical tower, red band at top.	Radar reflector. Year round.
487 G5506	Nanoose Harbour	On point SW. of Richard Point. 49 15 55.4 124 07 29.5	Fl R	4s	7.9	4	White cylindrical tower, red band at top.	Radar reflector. Year round.
488	Imperieuse Rock light buoy P21	NE. of Fleet Point, Nanoose Harbour. 49 15 43.1 124 07 28.1	Fl G	4s			Green, marked "P21".	Year round.
488.3 G5507.4	Schooner Cove Breakwater	Extremity of breakwater. 49 17 16.2 124 07 58.9	Fl G	4s	3.2	4	Mast, green, white and black square daymark.	Year round.
488.5 G5507	Schooner Reefs	W. side of Georgia Strait. 49 17 36.5 124 07 47	Fl R	4s	6.8	4	White cylindrical tower Red band at top	Year round.
490 G5508	Ballenas Islands	On N. point of North Ballenas Island. 49 21 02 124 09 36.8	Fl W	10s	21.3	17	White octagonal tower, red upper portion.	Flash 0.2 s; eclipse 9.8 s. Year round.

Chart:3537
Edn 09/11(P11-024,025)

Chart:3538

Chart:3459

Chart:3459

Chart:3459

Chart:3459
Edn 04/11
Edn 02/15 (P14-064)

Chart:3459
Edn 02/15 (P14-063)

Chart:3456
Edn 10/12(P12-045)

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
490.3 G5508.5	Sangster Island	SE. tip of island. 49 25 25.3 124 11 34.9	Q	R	1s	17.1	5	White cylindrical tower with a red band at top.	Radar reflector. Year round.
									Chart:3512 Edn 12/14 (P14-061)
491 G5509	French Creek	Near outer end of W. breakwater. 49 21 05.8 124 21 16.7	Q	R	1s	5.8	5	White mast.	Year round.
									Chart:3512

STRAIT OF GEORGIA

492 G5528	False Bay	On Prowse Point at S. side of entrance to bay. 49 29 15 124 21 39	Fl	W	4s	5.5	5	White cylindrical tower.	Year round.	
										Chart:3536
493 G5529	Sisters Islets	On easterly and largest rock. 49 29 12.3 124 26 05.2	Fl(2)	W	15s	24.3	16	White cylindrical tower.	Year round.	
										Chart:3513
494 G5530	Flora Islet	N. side of islet, off St. John Point. 49 31 03.4 124 34 36.4	Fl	W	4s	15.1	5	Square skeleton tower.	Year round.	
										Chart:3527
494.5	Ford Cove Floating Breakwater North	On N. end of breakwater. 49 29 54.1 124 40 41	Fl	R	4s		3	White mast, red and white triangular daymark.	Year round.	
										Chart: 3527
Baynes Sound										
495 G5532	Chrome (Yellow) Island range	49 28 19.9 124 41 06.7	F	Y		14.0	12	Cylindrical tower, red daymark, white vertical stripe.	Visible in line of range. Year round.	
496 G5532.1		097°45' 93.3m from front.	Fl	W-Y	5s	21.9	14	White cylindrical tower.	Flash 1 s; eclipse 4.9 s. Yellow light visible in line of range. Year round.	
										Chart:3527
496.1 G5537	Denman Island Ferry Landing	W. side of island. 49 32 05.9 124 49 26.7	F	Y		7.6		On dolphin.	Privately maintained. Year round.	
										Chart:3527
496.2 G5535	Buckley Bay Ferry Landing	S. side of landing. 49 31 35.4 124 50 50.9	F	Y		7.6		On dolphin.	Privately maintained. Year round.	
										Chart:3527
496.3 G5540	Denman Island East Ferry Landing	Gravelly Bay. 49 29 40.3 124 42 30.1	F	Y		7.6		On dolphin.	Privately maintained. Year round.	
										Chart:3527
496.4 G5531	Hornby Island Ferry Landing	SE. of Shingle Spit. 49 30 40 124 42 17.9	F	Y		7.6		On dolphin.	Privately maintained. Year round.	
										Chart:3527

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
497 G5534	Deep Bay	On SW. end of Mapleguard Point. 49 27 57.6 124 44 07.2	Fl W 4s	9.1	7	White cylindrical tower, green band at top.	Radar reflector. Year round.
							Chart:3527 Edn 10/15 (P15-081)
497.5	Maple Spit light buoy P39	NE. of Mapleguard Point. 49 28 29 124 43 29.2	Fl G 4s			Green, marked "P39".	Year round.
							Chart:3527

STRAIT OF GEORGIA

498	Repulse Point light buoy P42	SW. of point. 49 28 46.3 124 44 55.4	Fl	R	4s			Red, marked "P42".	Year round.	Chart:3527
498.5	Fanny Bay Breakwater	End of floating breakwater. 49 30 27.3 124 49 37.8	Fl	G	4s			Mast.	Year round.	
499 G5538	Denman Island	On reef on W. side of island, southward of Denman Point. 49 32 17.2 124 49 48.9	Fl	W	4s	6.1	5	White cylindrical tower, red band at top.	Radar reflector. Year round.	Chart:3527
500	Comox Bar light and bell buoy P54	Close to easterly edge of bar. 49 39 29.6 124 51 41	Fl	R	4s			Red, marked "P54".	Year round.	Chart:3527
501 G5542	Comox Bar range	On the W. shore of Baynes Sound. 49 37 23.3 124 54 31.7	Iso	Y	1.5s	11.3	15	Square skeleton tower, white daymark, red vertical stripe.	Year round.	Chart:3527
502 G5542.1		222°10' 283.5m from front.	Iso	Y	2s	23.2	15	Square skeleton tower, white daymark, red vertical stripe.	Year round.	
503 G5544	Goose Spit	On W. extremity of Goose Spit. 49 39 37.1 124 55 30.3	Q	R	1s	5.5	4	White cylindrical tower, red band at top.	Radar reflector. Year round.	Chart:3527
504 G5545	Comox Harbour Breakwater	49 40 09.7 124 55 49.7	Fl	R	4s	3.6	4	Mast.	Year round.	Chart:3527
504.1	Comox Harbour East Breakwater	On outer end of new breakwater. 49 40 04.1 124 55 29.9	Fl	G	4s	3.3	4	Mast.	Year round.	Chart:3527
504.3	Courtenay River Beacon # 1	On port side of channel. 49 39 42.9 124 56 26.2	Fl	W	4s	4.6	5	Centre pile of 7-pile dolphin, green, white and black square daymark.	Year round.	Chart:3527 Edn 05/11

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
505 G5547	Courtenay River range	On bank of river. 49 40 38 124 57 32.3	Q	Y	1s	4.1	9	1-pile dolphin, red daymark, white vertical stripe.	Year round.
506 G5547.1		320°04' 66.2m from front.	Q	Y	1s	7.6	9	3-pile dolphin, red daymark, white vertical stripe.	Year round.
Chart:3527 Edn 09/11(P11-030,031)									

STRAIT OF GEORGIA

507.5	Cape Lazo - East Cardinal light buoy PB	49 42 41.8 124 50 29.1	Q(3)	W	10s			Black, yellow and black, marked "PB".	Year round.	Chart:3527
508 G5549	Comox Aeronautical Beacon	49 42 45 124 53 38	Fl	W	10s				Flash every 10 s. Year round.	Chart:3527
509 G5566	Kuhushan Point	On the point. 49 53 19.3 125 07 23.2	Fl(2)	W	6s	17.7	12	White square skeleton tower.	Flash 0.5 s; eclipse 1 s; flash 0.5 s; eclipse 4 s. Year round.	Chart:3513
509.5	Sentry Shoals ODAS light buoy 46131	49 54 24 124 59 06	Fl(5)	Y	20s			Yellow, marked "46131".	Year round.	Chart:3513
510	Wilby Shoals light buoy P60	SE. of Cape Mudge, N. end of Strait of Georgia. 49 58 57.3 125 09 10.2	Fl	R	4s			Red, marked "P60".	Year round.	Chart:3538